






LECCOR®

QUADRATONE / TUBO / Studio DL / COLLONA

Public Design



QUADRATONE / Studio DL LED-Lichtbank · *LED light bench*

LECCOR Public Design - die passende Ergänzung zu unseren Leuchten
LECCOR Public Design - the right addition to our illuminants-collections



Werkfoto / CGI



LED-Lichtbänke für die funktionale sowohl als auch gestalterisch anspruchsvolle Außenmöblierung mit steuerbarem Lichteffect in RGB-Farben.

Geeignet für den Innen- und Außenbereich.

Standfuß:

- Stahlblechgehäuse Material Edelstahl (304L) oder Stahl (St37)
- Oberfläche matt schwarz pulverbeschichtet (weitere RAL-Farben auf Anfrage)
- optional in Edelstahl V2A poliert oder glasperlengestrahlt

Sitzfläche:

- Polycarbonat-Rohre 45/45 mm matt weiß / schlagfest
- mit integrierter LED-RGB Lichttechnik (einzeln austauschbar)
- weitere Sitzauflagen auch in Kombination mit Holz oder Stahl möglich

LED-Lichttechnik:

- RGB-Farben mit Lichtsteuerung für Helligkeit und Farbwahl
- LED-Module sind in den Einzelfarben und weiß erhältlich
- lange Lebensdauer und hohe Energieeffizienz

Technik:

- Schutzart IP67 / Schutzklasse 1 / 2

Allgemeine Informationen:

- Alle Modelle sind gesetzlich geschützt
- Technische Änderungen behalten wir uns vor

LED lighting bench, a functional and sophisticated outdoor furniture with controllable RGB colours.

Suitable for indoor and outdoor use.

Foot:

- housing made of sheet stainless steel (304L) or steel (St37)
- surface matte black powder coated (other RAL colours upon request)
- optional in stainless steel V2A polished or glass bead blasted

Seating surface:

- polycarbonate tubes 45/45 mm matt white / high impact resistance
- with integrated LED-RGB lighting technology
- other seat covers such as wood or steel possible
- LED modules are individually interchangeable

LED technology:



- RGB colors with light control for brightness and color selection
- LED modules are available with single colours and white
- long lifespan and high energy efficiency

Technology:

- IP rating IP67 / electrical safety class 1 / 2


General information:

- all our products are protected by international law
- technical changes reserved



QUADRATONE LED


Edelstahl glasperlengestrahlt / stainless steel glass bead blasted
Quadratrohrprofil / square profile



Bestell Nr. / item no.	Länge / length L	Leuchtmittel / light source
LED701800RGB	800	LED RGB 24 Volt
LED701800ROT	800	LED rot / red 24 Volt
LED701800BLAU	800	LED blau / blue 24 Volt
LED701800GELB	800	LED gelb / yellow 24 Volt
LED701800GRÜN	800	LED grün / green 24 Volt
LED701800WEISS	800	LED weiß / white 24 Volt
LED701140RGB	1400	LED RGB 24 Volt
LED701140ROT	1400	LED rot / red 24 Volt
LED701140BLAU	1400	LED blau / blue 24 Volt
LED701140GELB	1400	LED gelb / yellow 24 Volt
LED701140GRÜN	1400	LED grün / green 24 Volt
LED701140WEISS	1400	LED weiß / white 24 Volt


Studio DL LED

Stahl pulverbeschichtet / steel powder coated



Bestell Nr. / item no.	Leuchtmittel / light source
LED708000RGB	Flexband LED RGB 24 Volt
LED708000ROT	Flexband LED rot / red 24 Volt
LED708000BLAU	Flexband LED blau / blue 24 Volt
LED708000GELB	Flexband LED gelb / yellow 24 Volt
LED708000GRÜN	Flexband LED grün / green 24 Volt
LED708000WEISS	Flexband LED weiß / white 24 Volt

Pulverbeschichtung nach Vorgabe RAL möglich
powder coating according to specification RAL possible



Die QUADRATONE Public Design Collection bietet eine komplementäre Außenmöblierung zu unseren Edelstahlleuchten. Gefertigt aus glasperlengestrahltm Edelstahl in Kombination mit Kambala-Holz, überzeugen die Sitzbänke und Tische durch das solide Design und die hochwertigen Materialien.

Diese Möbel haben sich besonders bei regelmäßiger Beanspruchung im öffentlichen Bereich, als auch unter starken Witterungseinflüssen bewährt.

Rahmen im Winkelprofil 50/50 mm
Optional: Quadratrohrprofil

Material

- Edelstahl V2A (V4A)
 - Oberfläche glasperlengestrahlt
 - Sitzfläche Kambala-Holz natur 40/40 mm
- Weitere Holzarten und Oberflächenbehandlungen auf Anfrage.

Allgemeine Informationen:

- Alle Modelle sind gesetzlich geschützt
- Technische Änderungen behalten wir uns vor

The QUADRATONE Public Design Collection offers a complementary outdoor furniture to our stainless steel luminaires. Manufactured from glass bead-blasted stainless steel in combination with kambala wood, the benches as well as tables impress with their solid design and high-grade materials.

This furniture has asserted itself particularly for frequent use in public areas, as well as under strong weather influences.

*Frame in angular profile 50/50 mm
Optional: square tube profile*

Material

- stainless steel 304L 1.4301 (316L 1.4401)
 - surface glass bead blasted
 - seat surface kambala-wood natural 40/40 mm
- Further wood types and finishes on request.


General information:

- all our products are protected by international law
- technical changes reserved

QUADRATONE 1




M 1:40




Bestell Nr. / item no.	Länge L / length L
701000080	800 mm
701000140	1400 mm
701000200	2000 mm

QUADRATONE 2



Bestell Nr. / item no.	Länge L / length L
702000080	800 mm
702000140	1400 mm
702000200	2000 mm

QUADRATONE T



Bestell Nr. / item no.	Länge L / length L
711000080	800 mm
711000140	1400 mm
711000200	2000 mm



Die Sitzbankkollektion TUBO wird, wie der Name bereits verrät, aus Rohren gefertigt. Das Besondere hierbei ist die Vielzahl an praktischen Variationsmöglichkeiten einer einzelnen Sitzbank, einer Sitzgruppe und einem Fahrradparker. Das Material Edelstahl ist robust und bietet einen dauerhaften Schutz gegen Verwitterung.

Da dieses Produkt aus Edelstahl gefertigt wird, besitzt es die maximale Witterungsbeständigkeit und eignet sich hervorragend für den öffentlichen sowie den privaten Bereich.


Material

- Rohr Edelstahl Ø 28 mm x 2 mm 1.4301 V2A (1.4401 V4A)
- Oberfläche glasperlengestrahlt, optional auch geschliffen oder pulverbeschichtet nach Wahl


Andere Varianten in Tiefe, Höhe und Anordnung auf Anfrage.

Allgemeine Informationen:

- Alle Modelle sind gesetzlich geschützt
- Technische Änderungen behalten wir uns vor



Varianten - auf Anfrage / variants - on request



The bench collection TUBO will, like the name already betrayed made from tubes. The special thing about it is the Numerous practical variation possibilities from one a single bench, a seating group and a bicycle park. The stainless steel material is robust and offers lasting protection against weathering

As this product is made of stainless steel, it has the maximum resistance to weathering and is suitable for excellent for the public as well as the private sector.

Material:

- tubes, stainless steel Ø 28 mm x 2 mm L304 1.4301 (L316 1.4401)
- surface glass bead blasted, optionally polished or powder coated
- Other variants in depth, height and arrangement on request.


General information:

- all models are protected by law
- we reserve the right to make modifications

TUBO 1





M 1:40



Bestell Nr. / item no.	Länge L / length L
750100120	1200 mm
750100160	1600 mm
750100200	2000 mm

TUBO 2




Bestell Nr. / item no.	Länge L / length L
751200100	1000 mm
751200180	1800 mm

QUADRATONE - LED

Fahrradparker · *Bicycle parker*



Fotografie: Wolfgang Lehner



Edelstahl Fahrradparker mit integrierter LED-Beleuchtung.
Vorteile sind beispielsweise, dass der Fahrradparker/ - ständer im Dunkeln schon von weitem als Anlaufpunkt wahrgenommen und als Stellplatz identifiziert wird.
Durch dieses Produkt können zusätzliche Außenleuchten eingespart werden.

Designrahmen:

- Profile: 60 x 40 mm, 40 x 40 mm
Optional: Profil 60 x 40 mit Montagetur (Netzteil intern)
Rundprofil U42, U48, U60 mm auf Anfrage
- Edelstahl V2A 1.4301 (V4A 1.4401), Oberfläche glasperlen- gestrahlt oder RAL pulverbeschichtet nach Ihrer Vorgabe
- Standard Format (Höhe x Breite x Tiefe):
900 x 900 x 60 mm (weitere Maße auf Anfrage)
- verfügbar mit oder ohne Zwischenstrebe

Schutzabdeckung:

- Acrylglas weiß satiniert

LED-Lichttechnik:

- LED-Streifen ab 4 W/m bis 14,4 W/m (entspr. ca. 1700 l/m)
- Einfarbige LED: 2700/3000/4000/5000 K, CRI / RA > 90
RGB-W (farbig), Steuerung über Netzteil mit DMX oder Dali (dimmbare)
- Netzteil geeignet für Notstrombetrieb

Technik:

- Schutzart: IP54 / IP65 / IP67
- Schutzklasse 1 / 2 / 3

Montageart:

- aufgedübelt
- mit Köcherfundament

Allgemeine Informationen:

- Alle Modelle sind gesetzlich geschützt
- Technische Änderungen behalten wir uns vor

Stainless steel bicycle parker with integrated lighting.
The advantages; the bicycle parker is perceived in the dark from a distance as parking space. Furthermore this system can reduce the need for additional light fixtures in the outdoor areas.

Design frame:

- profiles: 60 x 40 mm, 40 x 40 mm
optional: profile 60 x 40 with revision door (internal power supply)
profiles round U42, U48, U60 mm on request
- stainless steel L304 1.4301 (L316 1.4401), surface bead blasted or RAL powdercoated according to your specification
- standard format (height x width x depth): 900 x 900 x 60 mm (other measurements on request)
- available with and without brace

Protection cover:

- white satin acrylic glass
- Transparent polycarbonate glass

Illuminant:

- LED strip from 4,8 W/m up to 22 W/m (= about 440 l/w)
- monochrome LED : 2700/3000/4000/5000 K, CRI / RA > 90
RGB-W (polychrome), control possible with DMX or Dali (dimmbare)
- power supply suitable for emergency power supply

Technology:

- IP rating: IP54 / IP65 / IP67
- electrical protection class: 1 / 2 / 3


Floor mounting:

- screwed directly
- sleeve foundation

General information:

- all our products are protected by international law
- technical changes reserved

QUADRATONE-LED U40x40 U60x40




Typ A


Typ B

M 1:25

40
60



Bestell Nr. / item no.	Profil/profile	Variante	Leuchtmittel / light source
Typ A			
LED771040090AF	40 x 40	F	LED 3000/4000K 24 Volt
LED771040090AK	40 x 40	K	LED 3000/4000K 24 Volt
LED771060090AF	60 x 40	F	LED 3000/4000K 24 Volt
LED771060090AK	60 x 40	K	LED 3000/4000K 24 Volt
Typ B			
LED771040090BF	40 x 40	F	LED 3000/4000K 24 Volt
LED771040090BK	40 x 40	K	LED 3000/4000K 24 Volt
LED771060090BF	60 x 40	F	LED 3000/4000K 24 Volt
LED771060090BK	60 x 40	K	LED 3000/4000K 24 Volt



Fahrradparker /-ständerin in der selben Optik wie die LED-Varianten sind bestens als Alternative oder Ergänzung zu den QUADRATONE LED-Fahrradparkern geeignet.

Designrahmen:

- Profile: 40 x 40 mm, 60 x 40 mm
Rundprofile Ø42, Ø48, Ø60 mm und weitere auf Anfrage
- Edelstahl V2A (V4A), Oberfläche glasperlengestrahlt oder RAL pulverbeschichtet nach Ihrer Vorgabe
- Standard Format (Höhe x Breite x Tiefe):
900 x 900 x 60 mm (weitere Maße auf Anfrage)
- verfügbar mit oder ohne Zwischenstrebe

Bodenbefestigung:

- aufgedübelt
- mit Köcherfundament

Allgemeine Informationen:

- Alle Modelle sind gesetzlich geschützt
- Technische Änderungen behalten wir uns vor

Unlited bicycle stands with the same look as the LED variant are ideally suited as an alternative or supplement to the QUADRATONE LED bicycle parker.

Design frame:

- profiles: 40 x 40 mm, 60 x 40 mm
profiles round Ø42, Ø48, Ø60 mm and more on request
- stainless steel L304 1.4301 (L316 1.4401), surface bead blasted or RAL powdercoated according to your specification
- standard format (height x width x depth):
900 x 900 x 60 mm (other measurements on request)
- available with and without brace

Floor mounting:

- screwed directly
- sleeve foundation

General information:

- all our products are protected by international law
- technical changes reserved




Optional

Pedal-Profilschienen zum Anlehnen
an Fahrradparker (Lackschutz)
Auch für LED-Fahrradparker

*Pedal profile rails for leaning against
bicycle rack (paint protection)
Also für LED-bicycle racks*


QUADRATONE U40x40 U60x40




Varianten Bodenbefestigung
F mit Flansch aufgedübelt
K einbetoniert (durchgehend)

variants ground-fixing
F screwed directly
K concreted (continuously)

Typ A




Typ B



Bestell Nr. / item no.	Profil/profile	Variante
Typ A		
771040090AF	40 x 40	F
771040090AK	40 x 40	K
771060090AF	60 x 40	F
771060090AK	60 x 40	K
Typ B		
771040090BF	40 x 40	F
771040090BK	40 x 40	K
771060090BF	60 x 40	F
771060090BK	60 x 40	K

COLLONA

Edelstahl - Absperrpoller
Stainless steel bollards



**Absperrpoller in Edelstahl passend zu den
LECCOR-Leuchtenkollektionen FIACCOLA und COLLONA.
Robust und langlebig in der Bauweise und Gestaltung.**

Aufgrund der hochwertigen Materialien und der soliden Bauweise eignet sich dieses Produkt hervorragend für den Einsatz im öffentlichen, wie auch gewerblichen Bereich.

Designrohr:

- Rundrohr: Ø 68 mm, Ø 76 mm, Ø 101 mm, Ø 140 mm
- Quadratrohr: 60 x 60 mm, 100 x 100 mm
- Edelstahl V2A 1.4301 (V4A 1.4401)
- Oberfläche glasperlengestrahlt
- Optional: Oberflächen RAL oder DB pulverbeschichtet nach Wahl
- weitere Formate auf Anfrage

Allgemeine Informationen:

- Alle Modelle sind gesetzlich geschützt
- Technische Änderungen behalten wir uns vor

Passende Leuchten siehe: FIACCOLA Seite 1.01 - und
Poller- und Standrohrleuchten Seite 2.01 -

**Shut-off bollard in stainless steel suitable for
LECCOR light collections FIACCOLA and COLLONA.
Robust and durable in construction and design.**

Due to the high-quality materials and the solid construction, this product is ideally suited for the Use in the public and commercial sector.

Designtube:

- round tube: Ø 68 mm, Ø 76 mm, Ø 101 mm, Ø 140 mm
- square tube: 60 x 60 mm, 100 x 100 mm
- stainless steel L304 1.4301 (L316 1.4401)
- surface glass bead blasted
- optional: RAL or DB powder-coated surfaces of your choice
- other formats on request



General information:

- all models are protected by law
- we reserve the right to make technical changes

Fitting illuminants see: FIACCOLA page 1.01 - and
Bollards and Light columns page 2.01 -

COLLONA

M 1:25




Varianten Bodenbefestigung

- A** mit Flansch aufgedübelt
- B** einbetoniert (durchgehend)

variants ground-fixing

- A** screwed directly
- B** concreted (continuously)



Bestell Nr. item no.	Profil profile
Variante / variant A	
500998430068	Ø 68 mm
500998430076	Ø 76 mm
500998430114	Ø 114 mm
500998430140	Ø 140 mm
500998430060	60 x 60 mm
500998430100	100 x 100 mm
Variante / variant B	
500998450068	Ø 68 mm
500998450076	Ø 76 mm
500998450114	Ø 114 mm
500998450140	Ø 140 mm
500998450060	60 x 60 mm
500998450100	100 x 100 mm





Werkfoto



Werkfoto



QUADRATONE 1
Germany | Schwäbisch Hall | Comburg
Werkfoto

